

# V8-380/400/430-CE FWD


# **Technical Data**


Engine designation	V8-380-CE	V8-400-CE	V8-430-CE
Power, kW (hp)	283 (380)	298 (400)	321 (430)
Engine speed, rpm	6000	6000	6000
Displacement, I (in3)	6.2 (376)	6.2 (376)	6.2 (376)
Number of cylinders	V8	V8	V8
Bore/stroke, mm (in.)	103/92 (4.06/3.62)	103/92 (4.06/3.62)	103/92 (4.06/3.62)
Compression ratio	11.5:1	11.5:1	11.5:1
Fuel system	Spark Ignited Direct Injection	Spark Ignited Direct Injection	Spark Ignited Direct Injection
Volvo Penta Forward Drive	FWD, FWD TCC	FWD, FWD TCC	FWD, FWD TCC
Dry weight with DP & PS, kg (lb)	441 (972)	441 (972)	441 (972)
Rating	5 <sup>1)</sup>	5 <sup>1)</sup>	5 <sup>1)</sup>
The engine complies with	US EPA, EU RCD, CARB <sup>2)</sup>	US EPA, EU RCD, CARB <sup>2)</sup>	US EPA, EU RCD, CARB <sup>2)</sup>

<sup>1.</sup> RATING 5, for pleasure craft applications  $\;$  2. From serial number A788078

Note: Twin FWD installations are available for V8 380, 400, and 430 hp  $\,$ 







# V8-380/400/430-CE FWD — Technical Description

### Engine block and head

- Aluminum, deep skirt cylinder block with six bolt, powdered metal main caps for extra strength
- Hydraulic cam phaser for variable camshaft timing optimizes low end torque and high-end horse power

#### Lubrication system

- Pressure lubrication system with heavy duty engine oil cooler and remote oil filter
- Paper oil filter element reduces environmental impact of engine service
- Cast aluminum structural oil pan

#### Fuel system

- Spark Ignited Direct Injection system with stainless steel returnless fuel rail and highpressure mechanical fuel pump
- High pressure direct injection facilitates a higher compression ratio and improved combustion
- Vapor separating fuel pump system with two electric pumps, pressure regulator, and water separating fuel filter

#### Intake and exhaust system

- Low weight aluminum exhaust system
- Three inch riser option is a direct replacement for the standard height riser
- Exhaust passages optimized for torque and power
- Collector (elbow) design maximizes use of the catalyst for reduced back pressure

# Cooling system

- Equipped with Easy Drain, a one-pointdraining system for the raw-water portion of the cooling system
- Freshwater (closed) cooling system for engine and engine oil cooler
- Advanced Volvo VCS (yellow) coolant for superior corrosion and thermal protection

#### Ignition system

- Iridium tipped, side electrode spark plugs for reliability and extended service life
- · Coil near plug ignition system

### Electronic engine control

- Electronic Control Module (ECM) ensures constant, optimum performance, greater fuel efficiency and reduced emissions
- 4G ECM supports full diagnostics through connection on engine harness
- Closed loop system with pre- and post catalyst oxygen sensors helps control fueldelivery and reduce emissions

#### Electrical system

- 12V corrosion-protected electrical system
- 120A marine alternator with internal transistorized voltage regulator
- · Re-settable circuit breaker for trim system
- Fuse protection of the electric fuel pumps and the fuel injection system
- · Auxiliary stop switch in front of engine

#### Electronic Vessel Control

- · Electronic shift and throttle
- Complete instrumentation including e-key switch and interlocked alarm
- Digital Power Trim instrument with analog or digital reading
- EVC monitoring panels for single or twin installations

#### Forward Drive

- · Silent shift for smoother shifting
- Pattern-matched spiral bevel gears
- · Exhaust through drive
- Break-away coupling between vertical shafts
- Standard tilt specification 52° (42° and 32° available as option on engine order)
- Built-in kick-up function to reduce damage, in the event the drive strikes an underwater object
- Easy access drive and transom shield anodes
- Easily accessible TSK mounted flush port

#### TCC drive features


- Water in bellows sensor
- Drive oil level sensor
- · Drive water in oil sensor
- Titanium ceramic corrosion protective coating

# Power trim

 High capacity trim pump integrated with transom shield to ease installation and save space in engine compartment

# Dimensions V8-380/400/430

Not for installation



# **More Information**

Contact your nearest Volvo Penta dealer for more information about Volvo Penta engines and optional equipment/accessories or go to **volvopenta.com**